

NOUVEAUTÉ DANS LE MIEL DE SOUDAN

3 x 1

- Une forte erection quelques minutes après la prise de la dose (10g)



- 6 mois après sans aucune prise du miel de Soudan



- son action à long terme améliore la circulation périphérique au niveau du penis, comme ça vous n'aurez plus besoin du miel de Soudan et vous aurez quand même de franches érections .

NOUVEAUTÉS

- Erection maximum
- allonge et augmente le volume du penis
- Retarde l'éjaculation

MODE D'EMPLOI

- Prendre un sachet dose (10g) par jour quelque minutes avant le rapport sexuel.

COMPOSITION

- Miel pur, gelée royale, Tongat Ali et herbre aromatique des forêts tropicales.

**HH Laboratories**

" Providing the best lab results since 2009 "

Serial No. : 055812-090114

Date : 9 January 2014

CERTIFICATE OF ANALYSIS

Sample Name : ROYAL HONEY
Sample Marking : MIEL DU SOUDAN
Countr of Origin : MOROCCO

Test Parameters	Units	Results	Method References
Lend	mg/kg	ND(<1)	In-house Method QWI-OF/14-41 Based on AOAC 986.15 Section D.APHA 3120 B, APHA 3113 B and 3125 B
Arsenic	mg/kg	ND(<1)	
Mercuray	mg/kg	ND(<0.05)	
Cadmium	mg/kg	ND(<0.2)	
Total Aerobic Microbial Count	efu/g	<10	BP (Harmonised Method) 2008 (Appendix XVI B A 391-A 402)
Total Yeast and Mold Count	efu/g	<15	
Escherichia coli	Abs/Prs in 1g	Absent	
Bile Tolerant Gram Negative Bacteria	PN/g	<10	
Salmonella sp	Abs/Prs in 1g	Absent	
Staphylococcus aureus	Abs/Prs in 1g	Absent	

ND : Not Detected

efu/g : Colony Forming unit per gram sample

<10 : Not Detected

Abs/Prs : Absent/Present

AOAC : Official Methods of Analysis of AOAC International 16th Edition, 1995.

APHA : Standard Methods for the Examination of Water and Wastewater, 19th Edition 1995,
American Public Health Association

**This is to certify that product named above has undergone relevant
tests and is certified to be safe for human consumption.**

